


## High Back Booster with Internal Harness

- For children older than 1 year of age and over 20 pounds and up to 40 pounds (with internal harness system)
- NEVER place the seat in front of an active air bag.
- Can be restrained in the vehicle with a lap only or lap/shoulder seat belt system.

- Top of child's ears are not above top shell.
- Retainer clip at armpit level and threaded correctly. Harness placed behind lip of retainer clip.
- The LATCH (lower anchorage and tethers for children) if provided on the seat can be used in place of the seatbelt if your vehicle has the LATCH anchors (refer to owner's manual).



- Tether anchor strap used if anchors are provided in the vehicle.
- Harness straps should be at or above shoulder height and threaded correctly.
- Harness tight enough so no more than one finger fits under harness strap at shoulder level.
- Labeled with Federal Safety Standards. Also labeled with manufacturer's name, model number and manufacturer date.

- Once installed in the vehicle, the car seat should not move more than one inch from side to side or back and forth when holding the car seat at the seat belt path.
- Register your car seat with the manufacturer to be updated regarding recalls. (Card provided with purchase of new seat or log onto [www.nhtsa.dot.gov](http://www.nhtsa.dot.gov).) Also refer to this website for replacement guidelines for seats following a vehicle crash.
- Avoid bulky clothing or padding behind child's head, back or under buttocks.
- Use the locking clip provided with the car seat only if your vehicle seat belt system requires the use of a locking clip. If needed, the locking clip needs to be placed within one inch of the latch plate.
- Do not use the car seat if it is over 6 years old.
- Carefully read the car seat manufacturer's instructions and vehicle owner's manual for instructions and warnings.
- Have your car seat checked by a certified child passenger technician. Safe Kids Grand Forks and Altru Health System sponsor monthly car seat check-up events. Regular events are held the second Thursday of the month from 4-7 p.m. at Rydell GM Auto Center (2700 South Washington Street).




## Belt Positioning Boosters

- For children 30 to 80 pounds (sometimes up to 100 #).
- Must be used with a lap and shoulder seat belt system, never a lap belt only.
- NEVER place the seat in front of an active air bag.
- \* If your vehicle does not have a lap and shoulder seat belt system, contact a child passenger technician regarding alternative safety restraints.

### High Back Booster Seat

- Top of child's ears are not above top of shell.
- Shoulder belt positioner is used to keep the seat belt positioned across the middle of the chest and off the neck area.
- Vehicle lap and shoulder seat belt system positioned across lap/hips and not the abdomen and across the middle of chest and shoulder.
- Labeled with Federal Safety Standards. Also labeled with manufacturer's name, model number and manufacturer date.



### Low Back Booster Seat

- Labeled with Federal Safety Standards. Also labeled with manufacturer's name, model number and manufacture date.
- Adjustable shoulder belt positioner (if provided) used to keep seat belt positioned correctly and not across neck.



- Top of child's ears are not above top of vehicle seat.
- Vehicle lap and shoulder seat belt system positioned across lap/hips and not the abdomen and across the middle of chest and shoulder.

The following applies to both above demonstrated seat types:

- Do not use the car seat if it is over 6 years old.
- Children ages 12 years old and under should ride in the rear vehicle seat.
- Carefully read the car seat manufacturer's instructions and vehicle owner's manual for instructions and warnings.
- Register your car seat with the manufacturer to be updated regarding recalls. (Card provided with purchase of new seat or log on to [www.nhtsa.dot.gov](http://www.nhtsa.dot.gov).) Also refer to this website for replacement guidelines for seats following a vehicle crash.
- The following must all occur before the child is safe to use adult seatbelts:
  - ◆ The child's back rests against the back of the seat while sitting straight up.
  - ◆ The knees are bent comfortably at the edge of the vehicle seat when back rests against the seat.
  - ◆ The child's feet touch the vehicle floor.
  - ◆ The lap belt remains on the hips and does not ride up onto the abdomen.
  - ◆ The shoulder strap crosses at the center of the chest and shoulder.

If you answered "no" to any of these questions, your child would be safer and more comfortable riding in a booster seat.

- Have your car seat checked by a certified child passenger technician. Safe Kids Grand Forks and Altru Health System sponsor monthly car seat check-up events. Regular events are held the second Thursday of the month from 4-7 p.m. at Rydell GM Auto Center (2700 South Washington Street).